Community Health Indicators Report

2023





Table of Contents

Mission, Vision and Guiding Principles	3
Our Residents	4
Length and Quality of Life	8
Access to Care	11
Chronic Disease	15
Infectious Disease	19
Maternal and Child Health	23
Behavioral Health	27
Iniury	32



This icon represents a focus on the recently released Youth Risk Behavior Survey (YRBS) results for middle and high school students.

Mission, Vision and Guiding Principles

WHO WE ARE



Our Mission

To maximize the health and wellness of all members of the community through collaborative efforts.

WHAT WE STRIVE FOR



Our Vision

Healthy people in healthy communities.

VALUES



Our Guiding Principles

- Maximize health status through prevention, education, clinical, monitoring, advocacy, and regulatory services
- Initiate programs in response to identified needs
- Strengthen the physical, behavioral, and environmental health of all citizens of Wicomico County
- Commitment to all populations while striving for health equity
- Address social determinants of health




Demographics

2021	Wicomico	Maryland	U.S.
Overall	103,980	6,165,129	331,893,745
Sex			
Male	47.9%	48.7%	49.5%
Female	52.1%	51.3%	50.5%
Race/Ethnicity			
White, Non-Hispanic	59.4%	47.8%	58.1%
Black, Non-Hispanic	24.3%	29.0%	11.8%
Hispanic	5.8%	11.1%	18.8%
Asian, Non-Hispanic	2.2%	6.6%	5.7%
Age Group			
Under 18 Years	22.3%	22.1%	22.1%
18 Years and Older	77.7%	77.9%	77.9%
65 Years and Older	16.0%	16.3%	16.8%
Median Age (Years)	35.9	39.3	38.8

125,000 120,000 115,000 110,000 105,000 100,000 95,000 90,000 85,000 80,000 75,000

Wicomico County Population, 2011-2021



Source: U.S. Census Bureau. 2011-2021 American Community Survey 1-Year Estimates.

Economic Indicators

2021	Wicomico	Maryland	U.S.
Income, Benefits and Employment			
Median Household Income	\$63,333	\$90,203	\$69,717
SNAP/Food Stamps	19.6%	12.6%	12.4%
Social Security Income	34.3%	27.9%	31.2%
Unemployed (Feb. 2023)	4.0%	3.0%	2.9%
Poverty			
Individuals in Poverty	13.7%	10.3%	12.8%
Families in Poverty	8.4%	7.4%	9.1%
Housing			
Owner-Occupied	62.5%	67.8%	65.4%
Renter-Occupied	37.5%	32.2%	34.6%
Mortgage 35%+ of Income	12.7%	11.0%	11.1%
Rent 35%+ of income	40.8%	43.1%	41.9%
Severe Housing Problems*	18%	16%	17%

Recent unemployment levels in the county dropped below pre-pandemic levels, but the median household income for Wicomico residents remained over \$25,000 less than the rest of the state. The recent rises in the cost of living for most Americans magnify this gap even more, with one in five county residents receiving supplemental income for food, and two in five renters paying 35% or more of their income on housing.



\$19.94

Hourly Wage to Afford Modest 2-Bedroom Housing



1 in 3
Residents with
Social Security
Income

Sources: U.S. Census Bureau. 2021 American Community Survey 1-Year Estimates; County Health Rankings. 2023 Rankings for Wicomico County. National Low Income Housing Coalition. Out of Reach Report.


^{*}Severe housing problems are defined as households with one or more factors: Lack of complete kitchen facilities, lack of complete plumbing facilities, overcrowding and/or severe cost burden.

Social Indicators

2021	Wicomico	Maryland	U.S.
Education			
Graduation Rate (2022)	84.8%	86.3%	85.3%
High School Diploma or Higher	86.8%	91.1%	89.4%
Bachelor's Degree or Higher	29.2%	42.5%	35.0%
Other Social Factors			
With a Disability	12.6%	11.3%	13.0%
Non-English Language Spoken at Home	14.1%	20.4%	21.6%
Foreign-Born	10.0%	15.9%	13.6%
Veteran Status	5.1%	7.0%	6.4%
Without a Vehicle	7.3%	8.2%	8.0%

At Least a High School Graduate by Race/Ethnicity, Wicomico County, 2018-2021

Education level is an established social determinant of health. In the past four years, the overall percentage of county residents 25 years and older with a high school degree has decreased, remaining considerably lower among Black and Hispanic residents.




Sources: U.S. Census Bureau. 2021 American Community Survey 1-Year Estimates; Maryland State Department of Education. 2022 Maryland Education Report Card; County Health Rankings. 2023 Rankings for Wicomico County.




Leading Causes of Death and Life Expectancy

Top Ten Leading Causes of Death, Wicomico County, 2021



There were **1,256 deaths** among Wicomico County residents in 2021. The original Omicron variant of COVID-19 led to an increase in deaths starting in the late fall of 2021.

The life expectancy of a Wicomico County resident **fell to 76.1 years** in 2020, 2.5 years shorter than the rest of the state.



*Chronic lower respiratory diseases (CLRD) include chronic obstructive pulmonary disease (COPD), chronic bronchitis and asthma.

Wicomico County, Deaths	2019	2020	2021
Overall	1,050	1,201	1,256
Male	530	619	667
Female	520	582	589
White, NH	792	873	866
Black, NH	228	291	347
Hispanic	17	21	19
Asian, NH	11	14	19

Sources: Centers for Disease Control and Prevention; CDC Wonder Database. Maryland Department of Health Vital Statistics Administration; 2020 Annual Report.

Quality of Life

16.3%

Wicomico County adults reporting poor physical health for a week or more each month



23.8%

Wicomico County adults reporting poor mental health for a week or more each month



Many factors can affect one's quality of life, including living conditions, physical health, mental health, social environment, economic conditions and safety.

Wicomico County Students Reporting Their Mental Health Was Mostly or Always Not Good



2021-2022	High School	Middle School
Overall	29.0%	23.8%
Male	15.6%	16.3%
Female	41.6%	30.5%
White, NH	31.5%	23.5%
Black, NH	25.4%	22.1%
Hispanic	32.6%	27.8%


Sources: Maryland Department of Health; 2021 Behavioral Risk Factor Surveillance System (BRFSS). Maryland Department of Health; 2021-2022 Youth Risk Behavior Survey



Access to Care

Health Insurance Coverage

2021	Wicomico	Maryland	U.S.
Overall Uninsured	6.7%	6.0%	8.8%
Uninsured by Gender			
Male	8.5%	6.9%	9.8%
Female	5.0%	5.1%	7.8%
Uninsured by Race/Eth	nnicity		
White, Non-Hispanic	4.4%	3.0%	6.0%
Black	6.8%	5.7%	9.9%
Hispanic	30.6%	21.3%	17.7%
Asian	11.5%	5.7%	6.3%
Uninsured by Age Gro	up		
Under 19 Years	4.2%	3.7%	5.3%
19 to 25 Years	9.7%	9.2%	14.3%
26 to 34 Years	15.4%	11.0%	15.4%
35 to 44 Years	11.1%	9.7%	13.3%
45 to 54 Years	7.8%	6.8%	11.0%
55 to 64 Years	4.3%	4.8%	8.2%



About 7,000 county residents lack health insurance, with Hispanic residents disproportionately affected. Medicaid enrollment increased by 14% from 2019 to 2022, due to continuous enrollment during the pandemic.


Sources: U.S. Census Bureau. 2021 American Community Survey 5-Year Estimates. Hilltop Institute. Maryland Medicaid DataPort.

Access to Providers

The ability to access healthcare is influenced by several factors, including cost, transportation, density of providers and insurance coverage.

Resident to Provider Ratios, Wicomico County

1,730 Residents per 1 Primary Care Doctor



260 Residents per 1 Mental Health Provider



1,240 Residents per 1 Dentist



Wicomico County, 2021	Recent Routine Checkup	Unable to See Doctor Due to Cost	Has a Personal Doctor
Overall	76.3%	7.7%	83.9%
Male	66.7%	7.8%	76.2%
Female	85.6%	7.7%	91.7%

The ratio of residents to primary care providers in the county worsened over the past five years, increasing from 1,470:1 to 1,730:1 in 2020. However, Wicomico has one of the **best ratios of residents to mental health providers** in the state, with only two other counties having higher densities.


About three-quarters of county residents reported having a recent routine medical checkup, with females more likely to have a personal doctor. About 8% of residents, regardless of gender, reported forgoing medical care due to cost in 2021.


Sources: County Health Rankings. 2023 Rankings for Wicomico County. Maryland Department of Health. 2021 Behavioral Risk Factor Surveillance System (BRFSS).


Preventative Care


Healthy behaviors are one part of the equation for good health. When healthy behaviors are combined with preventative care, health issues can be identified earlier at more treatable stages. Preventative care includes an annual checkup with a primary care provider (PCP) to assess weight status, blood pressure reading, and bloodwork results. Based on your age, sex and family history, your PCP may refer you for certain types of cancer screenings, such as colonoscopy or mammography.

















Cancer Incidence and Mortality

Annually, an average of **624 new cases of cancer** are identified in Wicomico County, and **231 residents die from cancer**.

Cancer Incidence Age-Adjusted Rate per 100,000	Wicomico	5-Year Trend	Maryland	5-Year Trend
All Sites	520.6		454.1	•
Breast (Female)	128.7		133.6	
Cervical	8.3		6.7	
Colorectal	39.2	+	36.0	
Lung and Bronchus	80.0	-	53.9	+
Melanoma	32.4		25.1	1
Ovarian	11.6		10.6	—
Pancreatic	13.7		13.7	
Prostate	138.9		132.7	
Cancer Mortality Age-Adjusted Rate per 100,000	Wicomico	5-Year Trend	Maryland	5-Year Trend
All Sites	186.6	-	148.9	+
Breast (Female)	21.6	-	21.0	+
Cervical	**	**	2.0	-
Colorectal	17.1	+	13.2	-
Lung and Bronchus	49.9	1	33.5	1
Melanoma	**	**	1.8	+
Ovarian	7.2	**	6.3	-
Pancreatic	11.0		11.3	

Rate is Falling
Rate is Stable

Rate is Rising

Source: National Cancer Institute. State Cancer Profiles.


Leading Chronic Diseases




Even throughout the COVID-19 pandemic, heart disease remained the leading cause of death for county residents.

Heart Disease Hospitalizations Wicomico County Residents 65+ Years, 2017-2020

However,
hospitalizations
for heart disease
have declined
among Medicare
beneficiaries over
the past four years.



Diabetes Prevalence, Wicomico County and Maryland, 2018-2021



The prevalence of diabetes increased in 2021, after three years of decline, remaining higher than the state consistently since 2018.

2x

In 2021, Black, non-Hispanic adults (19.5%) were **almost twice as likely** as White, non-Hispanic adults (10.5%) to have diabetes.

Source: Maryland Department of Health; 2020-2021 Behavioral Health Risk Factor Surveillance System (BRFSS). Centers for Disease Control and Prevention; Interactive Atlas of Heart Disease and Stroke.

Chronic Disease Risk Factors



County adults that are overweight or obese



County adults that have high blood pressure and/or high cholesterol



County adults that eat vegetables daily

Common chronic disease risk factors include excess weight, high blood pressure, high cholesterol, poor nutrition and the lack of physical activity.

Selected Chronic Disease Risk Factors for Wicomico County High School Students, 2018-2021

2021-2022	2018	2021
Weight Status		
Obese	18.5%	23.2%
Overweight	16.8%	17.7%
Physical Activity		
Physically Active 60 Min/Day; 5 Days/Week	43.8%	37.8%
Didn't Participate in Any Physical Activity	19.6%	19.5%
Nutrition		
Ate Vegetables 2+ Times/Day	25.3%	20.5%
Drank Soda 2+ Times/Day	11.6%	10.3%




Source: Maryland Department of Health; 2021 Behavioral Health Risk Factor Surveillance System (BRFSS). Maryland Department of Health; 2016-2021 Youth Risk Behavioral Surveys.




COVID-19 and Influenza

As of April 2023, Wicomico County reported **over 25,000 cases** of COVID-19, with **367 confirmed deaths**. Since the end of 2021, the original Omicron variant and its subvariants dominated circulation throughout the country. However, the increase in cases in the winter of 2022 was considerably less steep compared to the winter prior, when Omicron first emerged.

Confirmed COVID-19 Cases, Wicomico County, March 2020-April 2023





The current flu season (2022-2023) followed a similar early pattern as the southern hemisphere, with cases and hospitalizations increasing through October and November versus late December.

Sources: Maryland Department of Health; COVID-19 Data Dashboard. Maryland Department of Health; Influenza Surveillance.


Selected Reportable Conditions


Wicomico County, Count by Condition	2019	2020	2021
Campylobacteriosis	19	24	26
H. influenzae, invasive	4	4	1
Hepatitis A, acute	2	0	3
Legionellosis	3	0	0
Lyme Disease	12	15	7
Measles	0	0	0
Meningitis, aseptic	18	9	7
Meningitis, meningococcal	0	0	0
Pertussis	1	1	0
Salmonellosis	41	36	33
Shiga-toxin producing E.coli	5	2	1
Shigellosis	1	3	1
Streptococcus Group B	8	12	15
Streptococcus pneumoniae	15	6	5
Tuberculosis	2	2	1
Vibriosis	5	2	5
Animal bites	357	332	337
Animal rabies	6	7	6
Chlamydia	906	898	**
Gonorrhea	336	308	**
Syphillis (primary/secondary)	5	2	**

^{**}Not available at time of this report publication.

Source: Maryland Department of Health. Cases of Selected Notifiable Conditions Dashboard.

STI and HIV






In 2021, there were **9 cases** of **HIV diagnosed** in Wicomico County, and a total of **268 residents** living with **HIV**.

Two-thirds of residents living with HIV are male, and over half are over the age of 50.

People Living with HIV in Wicomico County, 2021					
Age		Race/Ethnicity		Sex	
20-29	9.3%	White, NH	21.6%	Male	68.3%
30-39	19.0%	Black, NH	63.4%	Female	31.7%
40-49	18.7%	Hispanic	5.6%		
50-59	23.9%	Other, NH	9.3%		
60+	29.1%				


Sources: Maryland Department of Health. Cases of Selected Notifiable Conditions. Maryland Department of Health. Eastern Region Annual HIV Epidemiological Profile.



Births

Wicomico County, Births	2018	2019	2020
Overall	1,253	1,255	1,248
Race/Ethnicity of Mother			
White, Non-Hispanic	616	612	585
Black, Non-Hispanic	484	478	489
Hispanic	118	124	139
Asian, Non-Hispanic	31	37	26
Age of Mother (in Years)			
Under 18	21	23	21
18-19	62	56	71
20-24	245	250	253
25-29	397	386	381
30-34	334	345	314
35-39	164	157	166
40-44	26	37	40
45+	4	1	2






Source: Maryland Department of Health Vital Statistics Administration; 2016-2020 Annual Reports.


Birth Outcomes





Although a decline from the previous year, almost 9% of births were low birthweight and almost 10% were preterm in 2020. Black, non-Hispanic mothers were more likely to have late or no prenatal care, as well as to deliver via Cesarean section.


Selected Birth Outcomes, Wicomico County, 2018-2020



Source: Maryland Department of Health Vital Statistics Administration; 2018-2020 Annual Reports.

Infant Mortality

Infant mortality is the death of a child before his or her first birthday. In 2020, the infant mortality rate in the county was almost two times higher than the rest of the state. Over half of infant deaths in Maryland were attributable to four causes.



Wicomico County	2018	2019	2020		
Infant Deaths (Count)	9	9	14		
Infant Deaths by Race/Ethnicity (Count)					
White, Non-Hispanic	6	4	6		
Black, Non-Hispanic	3	3	6		
Hispanic	0	2	2		
Infant Mortality Rate per 1,000 Live Births					
Wicomico	7.2	7.2	11.2		
Maryland	6.1	5.9	5.7		
United States	5.7	5.6	5.4		

Source: Maryland Department of Health Vital Statistics Administration; 2018-2020 Annual Reports.


Behavioral Health




Mental Health


Mental Health America (MHA) provides county-level estimates on the rates of mental health conditions among Wicomico residents. Rates of these conditions in the county are generally lower or similar to the state, but are trending upward since 2020.

Rate of Mental Health Conditions Reported, Wicomico County and Maryland 2022



Rate of Mental Health Conditions Reported, Wicomico County 2020-2022





Source: County and State Data Map, Mental Health America. Maryland Department of Health; Behavioral Risk Factor Surveillance System.

Suicide

In 2021 for Wicomico County:

Suicide was the 11th leading cause of death in the county.

Roughly half of ER visits for self-harm were youth 10-24 Years




50%



Key risk factors for suicide among county middle and high school students increased since 2016, including feeling sad or hopeless for almost every day for at least two weeks in a row, as well as serious contemplation of suicide.

Selected Self-Harm Risk Factors, Wicomico County Students, 2016-2021




Source: Maryland Department of Health; 2016-2021 Youth Risk Behavior Surveys. Centers for Disease Control and Prevention; CDC Wonder Database. CRISP; Public Health Dashboard.

Substance Use and Overdose

Fentanyl remains a key driver of drug overdoses in the county.

Overdose Deaths, Wicomico County, 2017-2021*



*Full 2021 data not available at the time of this report publication. 2021 data representative from 1/1/2021 through 9/30/2021.


Substances Ever Used by Wicomico County High School Students, 2016-2021

Substance Type	2016	2018	2021
Cocaine	6.2%	7.0%	5.0%
Heroin	4.8%	5.2%	5.2%
Methamphetamine	4.9%	4.6%	4.8%
Ecstasy	6.3%	6.5%	4.4%
Prescription Drug (without a doctor's order)	13.6%	16.0%	18.5%
Intravenous Drug Use	4.4%	5.1%	3.4%

County high school students that currently use marijuana

Source: Maryland Department of Health; 2016-2021 Youth Risk Behavior Surveys.

Alcohol and Tobacco Use




binge drinking in 2021

Cigarette use among county adults remains higher than the rest of the state, but has seen decreases since 2014.

25.0%

20.0%

0.0%




Cigarette Use Among



Cigarette use among high school students in the county has decreased each survey year, while ESD use has varied. In 2021, **one in five** female high school students reported current alcohol use.

Cigarette and ESD* Use Among Wicomico High School Students, 2014-2021



pipes, vape pipes, vaping pens, e-hookahs, and hookah pens)

15.0% 14.8% 15.5% 16.3% 13.7% 10.0% 10.0% 5.0% 10.0%

White, NH Black, NH Hispanic Wicomico

Current Alcohol Use Among

Wicomico Students, 2021

■ Middle School ■ High School

21.3%

20.2%

Source: Maryland Department of Health; 2016-2021 Youth Risk Behavior Surveys. Maryland Department of Health; Behavioral Risk Factor Surveillance System.

Male


Overall

18.3%




Motor Vehicle Accidents

Crashes Involving Drug- and/or Alcohol-Impaired Drivers, Wicomico County, 2017-2021




Crashes Involving Distracted Drivers, Wicomico County, 2017-2021



Source: Maryland Highway Safety Office; Annual Benchmark Reports.

Falls

Disability Types (65 Years and Older) Wicomico County, 2021





once in the previous year

Persons born throughout twelve years of the baby boom (1946-1964) are or will be 65 years and older in 2023. Over the past decade, the county's 65+ population increased 22%.

Older adults are at a higher risk for falls, which can be serious and costly. Those with ambulatory disabilities are at an even higher risk of falls. In 2021, 17% of county residents 65+ reported an ambulatory disability.

Source: U.S. Census Bureau. 2021 American Community Survey 1-Year Estimates. Maryland Department of Health; Behavioral Risk Factor Surveillance System.



Our Locations:

